


# ATHENA

Premium scoop ice cream vitrine with auto defrost



-14/-24°C 

B



✓ Open front glass



✓ Storage Door

ATHENA 9
1194 x 842 x 1285
9 places

ATHENA 13
1664 x 842 x 1285
13 places



## Advantages

- Ideal for promoting scoop ice cream
- Selected by leading companies in the ice cream sector.
- Auto defrost system
- With front showcase hinged glass for easy maintenance
- Large storage space with a separate door
- High Aesthetic design
- Large display area optimum product promotion
- Optimum product visibility
- Robust for heavy duty use
- Plug ready



## Basic Equipment

- Hi efficiency compressor
- Auto defrost system
- Storage space with a separate door
- Front showcase hinged glass
- Stainless sockets for stainless steel ice cream basins
- Digital controller
- Product labeling and price tags
- Serving bench with a scoop washer system
- Glass ventilation system (to avoid humidity)
- LED light
- Front side LED lighting
- 4 castors
- Air cooled condenser
- Drainage
- Internal body from non toxic steel sheet



## Optional Equipment

- Stainless steel basins
- Maintenance free condenser
- EBD electronic fan motor (compressor)
- Branding (optional)



## Technical Specifications

TECHNICAL SPECIFICATIONS	UNITS	ATHENA 9	ATHENA 13
External dimensions (lxwxh)	mm	1194 x 842 x 1285	1664 x 842x1285
Internal dimensions (lxwxh)	mm	1060 x 560 x 688	1530 x 560 x 688
Packaging dimensions (lxwxh)	mm	1340 x 975 x 1320	1810 x 975 x 1320
Internal gross volume	lt	358	540
Places for stainless steel / plastic basins	-	9	13
Climate class	-	4G3/L1	4G3/L1
Temperature range	°C	-14/-24	-14/-24
Energy consumption	kW/24h	5,290	5,600
Gross / net weight	kg	127 / 100	148.5 / 114
Pieces per truck 13.6m	-	24	14
Pieces per 20/40'ft container high cube	-	20 / 40	12 / 26
Refrigeration	-	STATIC	STATIC
Refrigerant	-	R290	R290

\*The energy consumption concerns specific metrics

